

Application No. 09/575,552 **BEST AVAILABLE COPY** Docket No. 22-0099

Amendments to the Claims

1-3 (Cancelled).

4 (Previously Presented): A method for scheduling, in real-time, an order in which data packets from a plurality of uplink channels stored in priority-class queues are organized in a downlink channel of a satellite communications network, the method comprising:

conveying data packets over a downlink channel in an order determined by a packet service schedule;

monitoring at least one traffic parameter associated with at least one data stream stored in a priority-class queue, the traffic parameter being representative of an actual bandwidth usage of the corresponding priority-class queue;

while conveying data packets over the downlink channel, modifying the packet service schedule based on said at least one traffic parameter; and

measuring a phase of each data stream stored in a priority-class queue, said phase being indicative of an amount of time lapsed since a data packet from a particular priority-class queue was output to the downlink channel.

5-10 (Cancelled).

11 (Previously Presented): A method for scheduling, in real-time, an order in which data packets from a plurality of uplink channels stored in priority-class queues are organized in a downlink channel of a satellite communications network, the method comprising:

Application No. 09/575,552

Docket No. 22-0099

conveying data packets over a downlink channel in an order determined by a packet service schedule;

monitoring at least one traffic parameter associated with at least one data stream stored in a priority-class queue, the traffic parameter being representative of an actual bandwidth usage of the corresponding priority-class queue;

while conveying data packets over the downlink channel, modifying the packet service schedule based on said at least one traffic parameter; and

adjusting the bandwidth allocated to at least one priority-class queue, while the priority-class queue is storing data packets.

12 (Previously Presented): A method for scheduling, in real-time, an order in which data packets from a plurality of uplink channels stored in priority-class queues are organized in a downlink channel of a satellite communications network; the method comprising:

conveying data packets over a downlink channel in an order determined by a packet service schedule;

monitoring at least one traffic parameter associated with at least one data stream stored in a priority-class queue, the traffic parameter being representative of an actual bandwidth usage of the corresponding priority-class queue;

while conveying data packets over the downlink channel, modifying the packet service schedule based on said at least one traffic parameter; and

modifying the packet service schedule by adjusting an amount of bandwidth allocated to at least one priority-class queue while the priority-class queue is storing data packets.

Application No. 09/575,552

Docket No. 22-0099

13 (Currently Amended): A communications satellite, comprising:

at least one uplink and downlink for conveying data packets over communications channels;

queues for collecting data packets from uplinks and outputting the data packets to a downlink using a dynamic amount of bandwidth;

a switch for switching data packets from each uplink to selected queues based on priority-classes of the data packets; and

a scheduler for allocating bandwidth to at least one queue, said scheduler changing an amount of bandwidth allocated to at least one queue while said queue is buffering data packets between an uplink and downlink.

14 (Original): The communications satellite of claim 13, further comprising:

a bandwidth measurement module for measuring a statistical bandwidth actually being used by at least one queue, said scheduler updating the bandwidth allocation of said at least one queue based on said measured statistical bandwidth.

15 (Currently Amended): A communications satellite, comprising:

at least one uplink and downlink for conveying data packets over communications channels;

queues for collecting data packets from uplinks and outputting the data packets to a downlink using a dynamic amount of bandwidth;

a scheduler for allocating bandwidth to at least one queue, said scheduler

Application No. 09/575,552

Docket No. 22-0099

changing an amount of bandwidth allocated to at least one queue while said queue is buffering data packets between an uplink and downlink; and

~~The communications satellite of claim 13, further comprising:~~

a look-up table storing a master frame allocating bandwidth to at least one queue, said master frame comprising a plurality of time slots, each time slot including a priority queue index identifying a queue to output a data packet during the associated time slot.

16 (Original): The communications satellite of claim 13, further comprising:

means for measuring data packet rate for each queue, said scheduler modifying bandwidth allocation based on the measured data packet rate.

17 (Original): The communications satellite of claim 13, wherein said scheduler further comprises:

a processor calculating statistical bandwidth allocation to said queues based on actual traffic arriving at said queues.

18 (Original): The communications satellite of claim 13, wherein said scheduler further comprises:

memory storing a packet service schedule identifying an order in which data packets pass over the downlink, said packet service schedule being based on bandwidth allocation calculated by said scheduler.

Application No. 09/575,552

Docket No. 22-0099

19 (Original): The communications satellite of claim 13, further comprising:

means for monitoring at least one traffic parameter associated with each downlink stream, said traffic parameter being representative of an actual usage of a priority-class associated with a queue, the scheduler changing bandwidth allocation based on said traffic parameter.

20 (Cancelled)

21 (Original): The communications satellite of claim 13, further comprising:

a processor calculating a new bandwidth allocation based on a Packet Fair Queuing algorithm.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.